



Power and Quality You Can Trust



- Super strong airflow - 271 m³ per hour (outperforms any opposition in its class)
- Super strong suction power - 4318mmH²O
- Large-capacity low maintenance canister - 41 Liter
- Quiet motor, from only 60 decibels!
- Easy to clean permanent SMS filter with SilverClear antimicrobial treatment and dust bag included.
- ABS casing with lifetime warranty.
- Rust and dent proof
- No need to vent exhaust air outside



2 x Powerful DOMEL Self-cooling
Tangential By-Pass Motors

Standard Cleaning Kit




10 Meter Crush Proof
Hose with On/Off Switch



Hose Hanger



Accessory Holder



Tile Floor Brush

Upholstery Brush

Dusting Tool



2 x Crevice Tools



Tile Floor/Carpet Combination Tool

Adjustable Wand

Optional Accessories



Small Carpet
Turbo Brush



Tile and Wood Floor
Wet Mop & Replacement Pad



10 Meter hose
cover with Zipper



Upholstery & Pillow
Turbo Brush



Large Carpet Turbo Brush

40 Years of Outstanding Quality & Service

Specific characteristics of this series:

- ✓ 2 Powerfull Tangential By-pass motors - 650 Air Watts each
- ✓ Quiet motor(s) from only 58 decibels!
- ✓ Permanent filter and dust bag included.
- ✓ Bucket with large capacity 41 liter
- ✓ Lifetime warranty casing.
- ✓

German crafted precision. 5.7" tangential by-pass double turbine metal quality gold series. Average life span of 18 - 22 years. 15% more powerful than it's closest competitors.



New SilverClear HEPA-Type Filtration is effective down to 0.03 microns.

Capacity of 41 L
Change the dust bag less often.

Head and bucket in PC-ABS FR3010
Thin and light corrosion proof body: 3.2 mm. Higher impact strength compared to the casing of the Pro1 & Pro2 series. Resin from the automotive field.

GENERATION 2 SERIES

G2E-2X5 : Muffler included

- SMS filter with SilverClear™ antimicrobial treatment
- 2 ply dust bag*
- Intelligent circuit board with touch pad indicator panel
- On/Off switch
- 6' (1.8 m) electrical cord
- Lifetime warranty casing



AIRWATTS	2 x 520
mmH ₂ O	4318
m ³ /h	271
DECIBEL	70 dB
VOLTAGE	230
WATTS	3360
HEIGHT	70 cm
DIAMETER	38 cm
CAPACITY	41 L
WEIGHT	14 kg
FUSE	19 Amp

MOTOR CODE	MOTE-32
QUANTITY	2
DIAMETER	14 cm
STAGES	2
FANS	6
AMPS	14

* Use of a bag is recommended to facilitate maintenance and extend the life of the filter and of some parts.

** Vacuums with double motorization should be vented outside. Use of Activac 2™ is not recommended.

All illustrations, specifications, colors and photographs shown may vary. The power values may vary. These are calculated according to the voltage used in the factory and in accordance to the supplier's specifications. While Drainvac takes care to ensure that the information contained in this publication is accurate, it cannot guarantee complete accuracy. Drainvac is not responsible for errors or omissions contained in this publication.